

ALLERGY- diphenhydramine hydrochloride capsule

Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Distribution, Inc. Allergy Capsules Drug Facts

Active ingredient (in each capsule)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use

if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hour

adults and children 12 years and over	1 to 2 capsules
children 6 to under 12 years	1 capsule
children under 6 years	do not use

Other information

- store at 20-25°C (68-77°F). Avoid high humidity. Protect from light.
- each capsule is sealed with a Uni Band® seal which bonds the two capsule halves together. Do not use if seal is broken or missing. Do not use if blister unit is broken or torn.

Inactive ingredients

anhydrous lactose, benzyl alcohol, butylparaben, D&C red no. 28, edetate calcium disodium, edible ink, FD&C blue no. 1, FD&C red no. 40, gelatin, magnesium stearate, methylparaben, polysorbate 80, propylparaben, sodium lauryl sulfate, sodium propionate

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Benadryl® active ingredient

MULTI-SYMPTOM

allergy capsules

Diphenhydramine HCl 25 mg | Antihistamine

RELIEF OF:

Sneezing; Itchy, Watery Eyes; Runny Nose & Itchy Throat

24 Capsules | actual size

meijer

MULTI-SYMPTOM

allergy capsules

Diphenhydramine HCl 25 mg | Antihistamine

RELIEF OF:

Sneezing; Itchy, Watery Eyes; Runny Nose & Itchy Throat

NDC 41250-462-62

Compare to Benadryl®
active ingredient*

meijer

MULTI-SYMPTOM

allergy capsules

Diphenhydramine HCl 25 mg | Antihistamine

RELIEF OF:

Sneezing; Itchy, Watery Eyes; Runny Nose & Itchy Throat

24 Capsules




actual size

: 4 2 5 0 6 2 6 6 C 7



Important: Read all product information before using. Keep this box for important information.

Drug Facts							
Active ingredient (in each capsule) Diphenhydramine HCl 25 mg.....	Purpose Antihistamine						
Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing							
Warnings Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).							
Directions ■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 doses in 24 hours <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults and children 12 years and over</td> <td style="width: 50%;">1 to 2 capsules</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>1 capsule</td> </tr> <tr> <td>children under 6 years</td> <td>do not use</td> </tr> </table>		adults and children 12 years and over	1 to 2 capsules	children 6 to under 12 years	1 capsule	children under 6 years	do not use
adults and children 12 years and over	1 to 2 capsules						
children 6 to under 12 years	1 capsule						
children under 6 years	do not use						
Other information ■ store at 20-25°C (68-77°F). Avoid high humidity. Protect from light. ■ each capsule is sealed with a Uni Band® seal which bonds the two capsule halves together. Do not use if seal is broken or missing. Do not use if blister unit is broken or torn.							



DIST. BY MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544 www.meijer.com


CONVENIENT RECLOSING TAB

Drug Facts (continued)	
Inactive ingredients anhydrous lactose, benzyl alcohol, butylparaben, D&C red no. 28, edetate calcium disodium, edible ink, FD&C blue no. 1, FD&C red no. 40, gelatin, magnesium stearate, methylparaben, polysorbate 80, propylparaben, sodium lauryl sulfate, sodium propionate	
Questions or comments? 1-800-719-9260	

*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Benadryl®.

PID 438861



0 41250 52358 1

ALLERGY

diphenhydramine hydrochloride capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-462
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QP1U3FV8)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	

EDETATE CALCIUM DISODIUM (UNII: 25IH6R4SGF)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
METHYL PARABEN (UNII: A2I8C7H9T)			
POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
PROPYL PARABEN (UNII: Z8IX2SC1OH)			
SODIUM LAURYL SULFATE (UNII: 368GB514IJ)			

Product Characteristics			
Color	PINK (clear) , WHITE (clear) , RED (band)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	L462
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-462-62	24 in 1 CARTON	01/15/1991	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41250-462-67	48 in 1 CARTON	01/15/1991	10/12/2016
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:41250-462-78	1 in 1 CARTON	01/15/1991	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/15/1991	

Labeler - Meijer Distribution Inc (006959555)